

Revision date: 5/1/2018 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product from : Substance

Trade name : Silica Sand, All Grades

CAS No. : 14808-60-7

Product group : Commercial product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation : Sand for specialty applications

Prohibited for use in sandblasting.

1.3. Details of the supplier of the safety data sheet

Carbon Enterprises Inc.

PO Box 787

28205 Scippo Creek Rd Circleville, OH 43113 800-344-5770

info@ceifiltration.com

ceifiltration.com

1.4. Emergency telephone number

Emergency number 740-420-6472

9:00 AM to 4:30 PM Monday through Friday

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Carc. 1A H350 STOT SE 3 H335 STOT RE 1 H372

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labelling

Signal word (GHS-US)

Hazard statements (GHS-US)

Hazard pictograms (GHS-US)





: GHS07

: Danger

: H335 - May cause respiratory irritation H350 - May cause cancer (inhalation)

H372 - Causes damage to organs (lung/Respiratory system) through

prolonged or repeated exposure (inhalation)

Precautionary statements (GHS-

US)

: P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable

for breathing

P312 - Call a POISON CENTER/doctor if you feel unwell

P308+P313 - IF Exposed of concerned: Get medical advice/attention

P314 - Get medical advice and attention if you feel unwell P264 - Wash hands and forearms thoroughly after handling P270 - Do not eat, drink or smoke when using this product

5/1/18 EN (English) CAS No: 14808-60-7 Page | 1 of 7

Safety Data Sheet

Revision Date: 05/01/2018

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and

understood

P208 - Wear eye protection, protective clothing, protective gloves

P260 - Do not breath dust

P271 - Use only outdoor or in a well-ventilated area

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container according to local, regional, national,

and international regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%	GHS-US classification
Quartz	(CAS No.) 14808-60-7	99 - 100	Carc. 1A, H350
			STOT SE 3, H335
			STOT RE 1, H372

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for

breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Rinse immediately with plenty of water. Gently wash with plenty of soap and

water. Obtain medical attention if irritation persists.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids

wide open. Seek medical attention if material is embedded in eye. If eye

irritation persists: Get medical advice and attention.

First-aid measures after ingestion : If swallowed, do not induce vomiting: seek medical advice immediately and show

this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Repeated or prolonged inhalation may damage lungs

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract, sneezing, coughing, burning

sensation of throat with constricting sensation of the larynx and difficulty in

breathing.

Symptoms/injuries after skin contact : Prolonged contact with large amounts of dust may cause mechanical irritation.

Dust may cause irritation in skin folds or by contact in combination with tight

clothing.

Symptoms/injuries after eye contact : Redness, pain.
Symptoms/injuries after ingestion : Abdominal pain.

Chronic symptoms : Respiratory difficulties. May cause cancer.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

5/1/18 EN (English) CAS No: 14808-60-7 Page | 2 of 7

Safety Data Sheet

Revision Date: 05/01/2018

Explosion hazard : No particular fire or explosion hazard.

Reactivity : Hazardous reactions will not occur under normal conditions.

5.3. Advice for firefighters

Precautionary measures fire : Fight fire with normal precautions from a reasonable distance.

Firefighting instructions : Not flammable.

Protection during firefighting : Use normal individual fire protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not breathe dust. Avoid generation of dust during clean-up of spills. Recover

the product by vacuuming, shoveling or sweeping. Vacuum must be fitted with

HEPA filter to prevent release of particulates during clean-up.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Use

recommended respiratory protection.

Emergency procedures : Collect as any solid.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Avoid generation of dust during clean-up of spills. Recover the product by vacuuming,

shoveling or sweeping. Vacuum must be fitted with HEPA filter to prevent release of

particulates during clean-up.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Do not breathe dust.

Precautions for safe handling : Avoid crating or spreading dust.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

Always wash your hands immediately after handling this product, and once again

before leaving the workplace. Do not eat, drink or smoke in areas where

product is used.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool place. Keep container tightly closed.

Incompatible material : In finely divided state: reacts with (strong) oxidizers such as: hydrofluoric acid,

chlorine trifluoride, oxygen difluoride, fluorine.

Storage area : Store in dry, cool area.

Special rules on packaging : Keep container closed when not in use.

7.3. Specific end use(s)

Sand for specialty applications

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Quartz (14808-60-7)

 USA ACGIH
 ACGIH TWA (mg/m³)
 0.025 mg/m³

 USA IDLH
 US IDLH (mg/m³)
 50 mg/m³

 USA NICOSH
 NIOSH REL (TWA) (mg/m³)
 0.05mg/m³

USA OSHA OSHA PEL (TWA) (mg/m³) (30)/(% SiO₂) mg/m³ - total dust

(Mineral Dust) (10)/(% SiO₂) mg/m³ - respirable fraction

8.2. Exposure controls

5/1/18 EN (English) CAS No: 14808-60-7 Page | 3 of 7

Safety Data Sheet

Revision Date: 05/01/2018

Appropriate engineering

controls

Personal protective

equipment

: Ensure adequate ventilation, especially in confined areas. Avoid dust productions.

In case of dust productions; dustproof clothing. In case of dust production: protective goggles. Insufficient ventilation: wear respiratory protection. High dust production:

self-contained breathing apparatus.









Hand protection : Impermeable protective gloves.

Eye protection : Protective goggles.

Skin and body protection : Handle in accordance with good industrial hygiene and safety practice. Always wash

your hands immediately after handling this product, and once again before leaving the workplace. Wear suitable protective clothing. Wash contaminated clothing before

reuse.

Respiratory protection : Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations of dust are expected to exceed exposure limits.

Consumer exposure : Do not breathe dust. Wear recommended personal protective equipment.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Crystalline solid
Color : Natural Color
Odor : Odorless

Odor threshold : No data available pH : No data available Relative evaporation rate : No data available

(butylacetate=1)

Melting point 1710°C (3110°F) Freezing point No data available 2230°C (4046°F) **Boiling point** Flash point No data available Self-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative vapor density at 20°C No data available Density 2.65 (approximately) Solubility Water: Insoluble Log Pow No data available Log Kow No data available **Explosive properties** None known Oxidizing properties None known **Explosive limits** No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

5/1/18 EN (English) CAS No: 14808-60-7 Page | 4 of 7

Safety Data Sheet

Revision Date: 05/01/2018

Stable under normal temperature and pressure.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Avoid strong oxidizers.

10.6. Hazardous decomposition products

Quartz (silica) will dissolve in hydrofluoric acid producing a corrosive gas, silicon tetrafluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer (inhalation)

Quartz (14808-60-7)		
IARC group	Group 1	
National Toxicity Program (NTP) Status	Known Human Carcinogen	

Reproductive toxicity

Specific target organ toxicity

: Not classified

(single exposure)

: May cause respiratory irritation

Specific target organ toxicity (repeated exposure)

Causes damage to organs (lungs/respiratory system) through prolonged or repeated exposure (inhalation)

Additional Information Repeated or prolonged exposure to respirable crystalline silica dust will cause lung damage in the form of silicosis. Symptoms will include progressively more difficult breathing, cough, fever, and weight loss. Acute silicosis can be fatal.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

Silica Sand, All Grades (14808-60-7)	
Persistence and degradability	Not readily biodegradable

12.3. Bio accumulative potential

Silica Sand, All Grades (14808-60-7	7)
Bio accumulative potential	Not expected to bio accumulate

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) : Disposal must be done according to official regulations

Waste disposal recommendations : Nonhazardous waste

5/1/18 EN (English) CAS No: 14808-60-7 Page | 5 of 7

Safety Data Sheet

Revision Date: 05/01/2018

SECTION 14: Transport information

In accordance with DOT/TDG/ADR/RID/ADNR/IMDG/ICAO/IATA

14.1. UN number

No dangerous good in sense of transport regulations

14.2. UN proper shipping name

Not applicable

14.3. Overland transport

No additional information available

14.4. Transport by sea

No additional information available

14.5. Air transport

No additional information available

14.6. Additional information

Other information : No supplementary information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Silica Sand, All Grades (14808-60-7)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Delayed (chronic) health hazard

Quartz (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

15.2.1. Canada

Quartz (14808-60-7)			
Listed on the Canadian DSL (Domestic Substances List) inventory.			
WHMIS Classification Class D Division 2 Subdivision A – Very toxic material			
	causing other toxic effects		

15.2.2. National regulations

Quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)
Listed on carcinogen on NTP (National Toxicology Program)

15.3. US State regulations

Quartz (14808-60-7)

U.S. - California - Proposition 65 - Carcinogen

WARNING! This product contains Quartz, a substance known to the State of California to cause cancer.

- U.S. Hawaii Occupational Exposure Limits TWAs
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits Mineral Dusts
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Main Chemicals of High Concern
- U.S. Massachusetts Rights To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- $\hbox{U.S. Minnesota Permissible Exposure Limits TWAs}\\$
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual

5/1/18 EN (English) CAS No: 14808-60-7 Page | 6 of 7

Safety Data Sheet

Revision Date: 05/01/2018

U.S. - New Jersey - Special Health Hazards Substances List

U.S. - Oregon - Permissible Exposure Limits - Mineral Dusts

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Tennessee - Occupational Exposure Limits - TWAs

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Vermont - Permissible Exposure Limits - TWAs

U.S. - Washington - Permissible Exposure Limits - STELs

U.S. - Washington - Permissible Exposure Limits - TWAs

SECTION 16: Other information

NFPA health hazard : 2 – Intense of continued exposure could cause temporary

incapacitation of possible residual injury unless prompt medical

attention is given

NFPA fire hazard : 0 – Materials that will not burn

NFPA reactivity : 0 – Normally stable, even under fire exposure conditions, and are

not reactive with water

HMIS III Rating

Health : 2* Moderate Hazard – Temporary or minor injury may occur

Flammability : 0 Minimal Hazard Physical : 0 Minimal Hazard

Personal Protection : E

Full text of H-phrases:

Carc. 1A	Carcinogenicity Category 1A
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H335	May cause respiratory irritation
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure

SDS CAS No. 14808-60-7

The above information is believed to be accurate based on the most current data available and current as of the date of this Safety Data Sheet, and is offered in good faith. Carbon Enterprises Inc. makes no warranty; either expressed or implied, with respect to such information, and assumes no liability resulting from its use. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of Carbon Enterprises Inc., it is the user's obligation to determine the conditions of safe use of the product and the suitability of each product or product combination for their own purposes. Carbon Enterprises Inc. shall not be liable for claims, losses or damages of any third party or for lost profits or incidental or consequential damages.

5/1/18 EN (English) CAS No: 14808-60-7 Page | 7 of 7